
**Specification for the E-ARK Content Information Type Specification
for digital geospatial data records archiving (CITS Geospatial)**

**A proper front page will be created for the
publication occurring after implementation of
review comments.**

DRAFT

1. Preface

The correct preface will be inserted for the publication occurring after implementation of review comments.

1.1 Aim of the specification

This specification is one of several related specifications. The single most important aim of all of these specifications is the provision of a common set of specifications for packaging digital information for archiving purposes. The specifications are based on common, international standards for transmitting, describing and preserving digital data. They have been produced to help data creators, software developers and digital archives to tackle the challenge of short-, medium- and long-term data management and re-use in a sustainable, authentic, cost-efficient, manageable and interoperable way.

The foundation upon which the specifications are built is the Reference Model for an Open Archival Information System (OAIS) (OAIS Reference model), which has Information Packages as its basis. Familiarity with the core functional entities of OAIS is a prerequisite for understanding the specifications. A visualisation of the current specification network can be seen here:




Figure 1. The E-ARK specification dependency hierarchy

Specification	Aim and Goals
Common Specification for Information Packages	<p>This document introduces the concept of a Common Specification for Information Packages (CSIP). Its three main purposes are to:</p> <ul style="list-style-type: none"> ● Establish a common understanding of the requirements which need to be met in order to achieve interoperability of Information Packages. ● Establish a common base for the development of more specific Information Package definitions and tools within the digital preservation community. ● Propose the details of an XML-based implementation of the requirements using, to the largest possible extent, standards which are widely used in international digital preservation. <p>Ultimately the goal of the Common Specification is to reach a level of interoperability between all Information Packages so that tools implementing the Common Specification can be adopted by institutions without the need for further modifications or adaptations.</p>
E-ARK SIP	<p>The main aims of this specification are to:</p> <ul style="list-style-type: none"> ● Define a general structure for a Submission Information Package format suitable for a wide variety of archival scenarios, e.g. document and image collections, databases or geographical data. ● Enhance interoperability between Producers and Archives. ● Recommend best practices regarding metadata, content and structure of Submission Information Packages.
E-ARK AIP	<p>The main aims of this specification are to:</p> <ul style="list-style-type: none"> ● Define a generic structure of the AIP format suitable for a wide variety of data types, such as document and image collections, archival records, databases or geographical data. ● Recommend a set of metadata related to the structural and the preservation aspects of the AIP as implemented by the reference implementation eArchiving ToolBox (formerly earkweb). ● Ensure the format is suitable to store large quantities of data.
E-ARK DIP	<p>The main aims of this specification are to:</p> <ul style="list-style-type: none"> ● Define a generic structure of the DIP format suitable for a wide variety of archival records, such as document and image collections, databases or geographical data. ● Recommend a set of metadata related to the structural and access aspects of the DIP.
Content Information Type Specifications	<p>The main aim and goal of a Content Information Type Specification is to:</p> <ul style="list-style-type: none"> ● Define, in technical terms, how data and metadata must be formatted and placed within a CSIP Information Package in order to achieve interoperability in exchanging specific Content Information. <p>The number of possible Content Information Type Specifications is unlimited.</p>

1.2 Organisational support

This specification is maintained by the Digital Information LifeCycle Interoperability Standards Board (DILCIS Board). The DILCIS Board (<http://dilcis.eu/>) was created to enhance and maintain the draft specifications developed in the European Archival Records and Knowledge Preservation Project (E-ARK project) which concluded in January 2017 (<http://eark-project.com/>). The Board consists of eight members, but there is no restriction on the number of participants in the work. All Board documents and specifications are stored in GitHub (<https://github.com/DILCISBoard>) while published versions are made available on the Board webpage. Since 2018 the DILCIS Board has been responsible for the core specifications in the Connecting Europe Facility eArchiving Building Block (<https://ec.europa.eu/cefdigital/wiki/display/CEFDIGITAL/eArchiving>).

1.3 Authors

A full list of contributors to this specification, as well as the revision history can be found in Appendix 1.

TABLE OF CONTENTS

1.	Preface	1
1.1	Aim of the specification	1
1.2	Organisational support	3
1.3	Authors	3
	TABLE OF CONTENTS	4
	LIST OF FIGURES	5
	GLOSSARY	6
2	Context	10
2.1	Purpose	10
2.2	Scope	10
2.3	Information Package Layered data model	11
3	CITS Geospatial requirements structure	13
3.1	Folder structure requirements	15
3.2	METS Requirements	17
3.2.1	Package and Representation METS	17
3.2.2	Package METS requirements	17
3.2.3	Representation METS requirements	19
3.3	Data requirements (Geospatial data)	19
3.3.1	Geodata general - requirements	19
3.3.2	Vector Geodata - requirements	20
3.3.3	Raster Geodata - requirements	21
3.3.4	Non-spatial data - requirements	22
3.3.5	Long Term Preservation Format Profiles	22
3.3.6	Other Geospatial data	22
3.4	Documentation requirements	22
3.4.1	Structure of geospatial records	23
3.4.2	Rendering and visualisation	24
3.4.3	Behaviour - Software and algorithms	25
3.4.4	Coordinate reference system information- requirements	26
3.4.5	Other - Contextual Documentation requirements	27
3.5	Geospatial Metadata requirements	27
4	Appendix 1	29

LIST OF TABLES

Table 1: Glossary table	6
Table 2: Geospatial information package requirement	17
Table 3: Requirements for the information package	17
Table 4: Requirements for the representation information package	19
Table 5: General requirements for the content data object	19
Table 6: Requirements for vector geodata	21
Table 7: Requirements for raster geospatial records	21
Table 8: Requirement for documentation	22
Table 9: Requirements describing structure	23
Table 10: Requirement for rendition and visualisation	24
Table 11: Requirements for behaviour	25
Table 12: Requirements for the coordinate reference system information	26
Table 13: Requirements regarding other information	27
Table 14: Requirements for the geospatial metadata	27

LIST OF FIGURES

Figure 1- The E-ARK specification dependency hierarchy	1
Figure 2 - Datamodel structure	9
Figure 3 - CITS Geospatial extension folders for Information Packages	11
Figure 4 - Example Information Package folder structure	12

GLOSSARY

Table 1: Glossary table

Term	Description
Archival information package (AIP)	An Information Package, consisting of the Content Information and the associated Preservation Description Information (PDI), which is preserved within an Open Archival Information System (OAIS)
Cardinality	<p>The term describes the possible number of occurrences for elements in a set. The numbers have the following meanings:</p> <p>(1..1) – In each set, there is exactly 1 such element present</p> <p>(0..1) – The set can contain from 0 to 1 of such elements</p> <p>(1..n) - The set contains at least one element – up to n elements</p> <p>(0..n) - The package can contain up to n of such elements, but it is not mandatory</p> <p>(0..0) – The element is prohibited to use</p>
Content Data Object	The Data Object, that together with associated Representation Information, comprises the Content Information [Source OAIS - ISO 14721:2012]
Content Information	A set of information that is the original target of preservation or that includes part or all of that information. It is an Information Object composed of its Content Data Object and its Representation Information. [Source OAIS - ISO 14721:2012]
Coordinate Reference System (CRS)	CRS is a coordinate system that is related to an object by a datum. Geodetic and vertical datums are referred to as reference frames. [Source ISO 19111:2019]
Digital geospatial record	A digital geospatial record is a record containing a spatial graphical component describing an object in space. It can be created digitally or digitised from an analogue source (paper maps).
Dissemination Information package (DIP)	An Information Package, derived from one or more AIPs, and sent by Archives to the Consumer in response to a request to the OAIS.
Feature	<p>Abstraction of real-world phenomena. EXAMPLE: The phenomenon named “Eiffel Tower” may be classified with other similar phenomena into a feature type “tower.” A feature may occur as a type or an instance. Feature type or feature instance should be used when only one is meant.</p> <p>[SOURCE: ISO 19101-1:2014, 4.1.11]</p>
Feature Attribute	<p>Characteristic of a feature.</p> <p>EXAMPLE 1:A feature attribute named “colour” can have an attribute value “green” which belongs to the data type “text”.</p> <p>EXAMPLE 2:A feature attribute named “length” can have an attribute value “82,4” which belongs to the data type “real”.</p>

	[SOURCE: ISO 19101-1:2014, 4.1.12]
Feature Catalogue	Catalogue containing definitions and descriptions of the feature types, feature attributes, and feature relationships occurring in one or more sets of geographic data, together with any feature operations that can be applied [SOURCE: ISO 19101-1:2014, 4.1.13]
Feature Dataset	Identifiable collection of data. A dataset can be a smaller grouping of data which, though limited by some constraint such as spatial extent or feature type, is located physically within a larger dataset. Theoretically, a dataset can be as small as a single feature or feature attribute contained within a larger dataset. A hardcopy map or chart can be considered a dataset. [SOURCE: ISO 19115-1:2014, 4.13]
Feature Instance	Individual of a given feature type having specified feature attribute values [SOURCE: ISO 19101-1:2014, 4.1.14]
Feature Operation	Operation that every instance of a feature type can perform EXAMPLE: A feature operation upon a “dam” is to raise the dam. The results of this operation are to raise the height of the “dam” and the level of water in a “reservoir”. Feature operations provide a basis for feature type definition. [SOURCE: ISO 19110:2005, 4.5]
Feature Type	Class of features having common characteristics [SOURCE: ISO 19156:2011, 4.7]
Geodata layer	A Geodata layer is a representation of one or many feature datasets within a GIS System. It can contain additional representation information such as visualisation, labelling of the dataset, visibility under certain conditions based on scale, SQL query, etc.
Geospatial data processing workflow	A geospatial data processing workflow is usually defined as a set of processing tasks organised into a process. Tasks are functions of a GIS system used to manipulate, transform or manage geospatial datasets, maps and tables.
GIS	Abbreviation for Geographical Information System, which is a system designed to capture, store, manipulate, analyse, manage, and present spatial or geographic data.
GIS Project	A GIS project is a document that organises geospatial datasets into layers, defines the map representations, then reports and stores information on Geoprocessing workflows.
Information Package	A logical container composed of optional Content Information and optional associated Preservation Description Information. Associated with this Information Package is Packaging Information used to delimit and identify the Content Information and Package Description information used to facilitate searches for the Content Information.
INSPIRE directive	The INSPIRE directive https://inspire.ec.europa.eu/ aims to create a European Union spatial data infrastructure for the purposes of EU environmental policies and policies or activities which may have an impact on the environment. This European Spatial Data Infrastructure will enable the sharing of environmental spatial information among public sector organisations,

	<p>facilitate public access to spatial information across Europe and assist in policymaking across boundaries.</p> <p>INSPIRE is based on the infrastructures for spatial information established and operated by the Member States of the European Union. The Directive addresses 34 spatial data themes needed for environmental applications.</p> <p>The Directive came into force on 15 May 2007 and will be implemented in various stages, with full implementation required by 2021.</p>
Internal Archival Long Term Preservation guidelines	<p>This type of guideline can have different names depending on the creator. Generally, archives specify technical guidelines and/or regulations for formats, specifying what they will accept and maintain for the long term. Depending on the archive and available technical resources, the criteria for the selected formats can differ from archive to archive.</p>
Level	<p>The level of requirement of the element following RFC 2119 http://www.ietf.org/rfc/rfc2119.txt</p> <p>MUST This word mean that the definition is an absolute requirement.</p> <p>SHOULD This word mean that in particular circumstances, valid reasons may exist to ignore the requirement, but the full implications must be understood and carefully weighed before choosing a different course.</p> <p>MUST NOT This phrase mean that the prohibition described in the requirement is an absolute prohibition of the use of the element.</p> <p>SHOULD NOT This phrase mean that in particular circumstances violating the prohibition described in the requirement is acceptable or even useful, but the full implications should be understood, and the case carefully weighed before doing so. The requirement text should clarify such circumstances.</p> <p>MAY This word mean that an item is not prohibited but entirely optional.</p>
Standardised Machine- readable Documentation	<p>A standardised machine-readable document is a document which content can be readily processed by computers and is based on a commonly accepted standard. Such documents are distinguished from machine-readable data by virtue of having sufficient structure to provide the necessary context to support the business processes for which they are created.</p>
Open Archival Information System (OAIS)	<p>An Archive, consisting of an organisation, which may be part of a larger organisation, of people and systems, that has accepted the responsibility to preserve information and make it available for a Designated Community. It meets a set of responsibilities, as defined in section 4, that allows an OAIS Archive to be distinguished from other uses of the term 'Archive'. The term 'Open' in OAIS is used to imply that this Recommendation and future related Recommendations and standards are developed in open forums, and it does not imply that access to the Archive is unrestricted.</p>
Preservation Description Information (PDI)	<p>The information which is necessary for adequate preservation of the Content Information and which can be categorised as Provenance, Reference, Fixity, Context, and Access Rights Information.</p>
Projected coordinate systems	<p>Coordinate reference system derived from a geographic coordinate reference system by applying a map projection</p>

RDBMS	Relational Database Management System
Representation	A Representation within an Information Package contains archival data. If an Information Package contain the same data in two or more different formats (i.e., Original and a long-term preservation format) or in different types of organisations, they are organised within two or more representations within the Representations folder of the Information Package
Representation Information	The Representation Information must enable or allow the recreation of the significant properties of the original data object. In terms of geospatial data, we need the information required to reconstruct the usage of the records meaningfully. For example, if we want to adequately reuse a GML file, containing only the vector geometry and its accompanying attributes, we need rendering information in the form of symbology definition, labelling logic, the coordinate System and projection, the scales in which it was used and description of meanings of attributes in order to understand the data.
Submission Information Package (SIP)	An Information Package that is delivered by the Producer to the OAIS for use in the construction or update of one or more AIPs and/or the associated Descriptive Information.

DRAFT

2 Context

2.1 Purpose

The purpose of this document is to describe the Content Information Type Specification for Geospatial records (CITS Geospatial). This specification describes how to package files containing geospatial records in a CSIP package(s) and the extension of the E-ARK SIP. It is designed to be used for the transfer of different types of Geospatial records and resources to and from archives.

NOTE: Throughout this document the acronym CSIP will be used to describe the combination of CSIP and SIP.

2.2 Scope

Geospatial records are any digital records that describe an object in space using coordinates based on a geographic coordinate system and a set of descriptive elements called attributes. They are created in many different proprietary formats but mostly come in two forms, vector data (points, lines, polygons) and raster data (sets of one or multiple arrays of pixels).

The CITS Geospatial specification scope is to describe how geospatial data files, metadata files, schema files for validation, documentation, and other files should be placed and structured into the CSIP based structure when producing a CITS Geospatial SIP for transfer to long-term preservation.

This specification is general enough to support multiple types of geospatial records (not only vector and raster-based records). Therefore, the specification does not define mandatory long-term preservation formats. Instead, it provides a possibility of extensions, the so-called *Long-term preservation format Profiles*, that need to comply with general requirements. Examples of such Profiles for vector data (GML) and raster data (GeoTIFF) are provided in the Guideline that accompanies this document. An example of a Profile for GIS in its own guideline which also accompanies this document. Profiles for other geospatial records formats (like proprietary data, earth observations, point clouds, oblique images, web services, etc.) are not proposed at this stage. They will be added later in cooperation with the geospatial community.

Description of the two accompanying guidelines:

- The first accompanying guideline document (*Guideline for the specification for the E-ARK Content Information Type Specification for Geospatial data (CITS Geospatial)*) provide a basic introduction to the field of geospatial data and the concepts used in this specification. In the Guideline there is also a description of the Profile for using the INSPIRE directive, with the CITS Geospatial both as the content being transferred and how to map INSPIRE information to an archival finding aid.
- The second guideline document (*Guideline for using the specification for the E-ARK Content Information Type Specification for Geospatial data (CITS Geospatial) with GIS*) provides the information on how to extend the first accompanying guideline document with content describing preservation of selected elements from Geographical Information Systems (GIS). The guideline aims to extend the scope of preservation beyond the geospatial data records themselves and focus more on GIS elements defining the geospatial information products.

A glossary for archival and geodata terms to facilitate readability of the specification is present at the beginning of this document.

2.3 Information Package Layered data model

This section introduces the role of the CITS Geospatial and its dependencies on basic structures of the Information package.

This specification is created based on the requirements of the Common Specification for Information Packages (CSIP) and the Specification for Submission Information Packages (E-ARK SIP). To fully understand its requirements, we highly recommend that users learn and understand the requirements and the terminology of the initial documents, before using this specification.

The data model structure is based on a layered approach for information package definitions (Figure 2). The Common Specification for Information Packages (CSIP) forms the outermost layer.

The general SIP, AIP and DIP specifications add submission, archiving and dissemination information to the CSIP specification.

The third layer of the model represents specific Content Information Type Specifications (CITS), such as this CITS Geospatial specification.

Additional layers for business-specific specifications and local variant implementations of any specification can be added, to suit the needs of the organisation.




Figure 2. Datamodel structure

Every level in the data model structure inherits metadata entities and elements from the higher levels. In order to increase adoption, a flexible schema has been developed. This will allow for extension points where the schema in each layer can be extended to accommodate additional information on the next specific layer until, finally, the local implementation can add specific entities or metadata elements to satisfy very specific local needs. Extension points can be implemented by:

- Embedding foreign extension schemas (in the same way as supported by METS [<http://www.loc.gov/standards/mets/>] and PREMIS [<http://www.loc.gov/standards/premis/>]). These support both increasing the granularity of existing metadata elements by using more detailed data structures as well as adding new types of metadata.

- Substituting metadata schemas for standards more appropriate for the local implementation.

The structure allows the addition of more detailed requirements for metadata entities, for example, by:

- Increasing the granularity of metadata elements by using more detailed data structures, or
- Adding local controlled vocabularies.

For consistency, design principles are reused between layers as much as possible.

DRAFT

3 CITS Geospatial requirements structure

The Content Information Type Specification for Geospatial data aims to define the necessary elements required to preserve the accessibility and authenticity of geospatial records over time and across changing technical environments. To achieve this, this specification defines the categories of significant properties [Source: <https://significantproperties.kdl.kcl.ac.uk/>] for geospatial records to allow the digital geospatial information products to remain accessible and meaningful. For every geospatial record or a set of records, we need to preserve information that suits the following categories:

- **Content** – Information contained within the Information Object. For example, location information (coordinates, orientation, pixel size), geometry, related feature attributes, etc. This is stored within the "Data" folder within a Representation.
- **Context** – Any information that describes the environment in which the content was created, or that affects its intended meaning. Examples: Creator name, date of creation, spatial accuracy, source data, sensor information, etc. This type of information can be provided using the "Other" folder within the main "Documentation" folder or by providing various *Geospatial Metadata* located within the Representation Metadata/Descriptive folder.
- **Structure** – Information that describes the extrinsic or intrinsic relationship between two or more types of content, as required to reconstruct the performance. For example, a Raster object and its connection to the world file, or a vector dataset combined with a table, a GIS project, defining the structure of geodata layers used to create a map, configuration of web services, defining a mash-up WMS, etc. This information should preferably be provided using standardised machine-readable files or at least in a written documentation.
- **Rendering** – Any information that contributes to the recreation of the performance of the Information Object. Example: Colour map of pixel values of a raster; Styled Description layer for web services, documentation describing a cartographic map project, Report designs, etc.
- **Behaviour** – Properties that indicate the method in which content interacts with other stimuli. Example – rendering algorithms, analysis functionalities, standard transformation processes, documentation of original system functionality, user manuals, training materials, system usage videos, etc.




Figure 3. CITS Geospatial extension folders for Information Packages

3.1 Folder structure requirements

The CITS Geospatial information structure inherited its package structure from the E-ARK Common Specification for Information Packages (CSIP) (blue elements), and it is an extension of it (green elements).

A visualisation of a valid CITS Geospatial Information Package is illustrated in Figure 4. This Figure shows an example of a simple valid Information Package with one representation of a single vector dataset in a GML file format.




Figure 4. Example Information Package folder structure

The folder structure in CSIP described in section <https://earkcsip.dilcis.eu/#folderstructureofthecsip> is extended with the following geo specific requirements on the folder structure:

GEOSTR1: XML schema documents for any structured descriptive geospatial metadata within package **MUST** be placed in a sub-folder called `schemas` within the Information Package root folder and/or the representation folder. This requirement is an extension of CSIPSTR15.

GEOSTR2: Minimum one documentation folder on package or representation level **MUST** include a subfolder named `structure`. This requirement is an extension of CSIPSTR16.

GEOSTR3: Minimum one documentation folder on package or representation level **MUST** include a subfolder named `rendering`. This requirement is an extension of CSIPSTR16.

GEOSTR4: A documentation folder on package or representation level **SHOULD** include a subfolder named `behaviour`. This requirement is an extension of CSIPSTR16.

GEOSTR5: A documentation folder on package or representation level **SHOULD** include a subfolder named `CRS`. This requirement is an extension of CSIPSTR16.

GEOSTR6: A documentation folder on package or representation level **SHOULD** include a subfolder named `other`. This requirement is an extension of CSIPSTR16.

DRAFT

3.2 METS Requirements

3.2.1 Package and Representation METS

Generally, CSIP can consist of zero to many representations, and this is an important feature that needs to be considered when packing geodata files within CSIPs.

There can easily be different representations of the same geospatial content located within one CSIP. For example, one package could consist of:

- one representation with geodata in original format;
- one representation with geodata in a long-term preservation format;
- one representation with geodata in dissemination formats;

There can be several representations of dissemination formats. There can also be many different types of geodata records and databases within the same package.

As for the CITS Geospatial specification, there always needs to be a minimum of one representation and therefore a minimum of two METS.xml. The Package METS.xml must be a general METS.xml stating if the package mainly contains Geospatial Records. Then, the Representation METS.xml describes the specific main data types in the representation.

A CITS Geospatial builds upon the general CSIP requirements, which are presupposed but not explicitly mentioned here. Those requirements should be met before applying the requirements listed below:

Table 2: Geospatial information package requirement

ID	Name, Location & Description	Card & Level
GEO_1	Geospatial data information package	1..1
	There MUST be a minimum of one representation and, therefore minimum of one Package METS.xml and a minimum of one Representation METS.xml in a CITS Geospatial compliant package.	MUST

3.2.2 Package METS requirements

Requirements pertaining to the information package.

Table 3: Requirements for the information package

ID	Name, Location & Description	Card & Level
GEO_2	Type	1..1
Ref CSIP2	mets/@TYPE [Description of the element]	MUST
	For information packages that primarily contain geospatial data, the value in Package mets/@TYPE MUST be "Geospatial Data" as taken from the CSIP Vocabulary for Content Category.	

ID	Name, Location & Description	Card & Level
GEO_3	Content Information Type Specification	1..1
Ref CSIP4	mets/@csip:CONTENTINFORMATIONTYPE For information packages that primarily contain geospatial data, the value in Package mets/@csip:CONTENTINFORMATIONTYPE MUST be "GeoData" as taken from the CSIP Vocabulary for Detailed Content Type.	MUST
GEO_4	Other Content Information Type Specification	0..0
Ref CSIP5	mets/@csip: OTHERCONTENTINFORMATIONTYPE For information packages that primarily contain geospatial data, the Package METS MUST NOT have a mets/@csip:OTHERCONTENTINFORMATIONTYPE	MUST NOT
GEO_5	METS Profile	1..1
Ref CSIP6 SIP2	mets/@PROFILE For information packages that primarily contain geospatial data, the value in the @PROFILE MUST be " https://GEO.dilcis.eu/profile/CITS_Geospatial.xml ".	MUST
GEO_6	fileSec Representation Content Information Type Specification	1..n
Ref CSIP62	mets/fileSec/fileGrp[@USE='Representations']/@csip:CONTENTINFORMATIONTYPE There MUST be a minimum of one mets/fileSec/fileGrp[@USE='Representations']/@csip:CONTENTINFORMATIONTYPE with the value "GeoData" as taken from the CSIP Vocabulary for Detailed Content Type that direct to the representation METS.xml in the representation folder containing geospatial data.	MUST
GEO_7	fileSec Representation Content Information Type Specification	1..1
Ref CSIP105-CSIP112	mets/fileSec/fileGrp[@USE='Representations']/@csip:CONTENTINFORMATIONTYPE For any fileGrp/@csip:CONTENTINFORMATIONTYPE with the value "GeoData" there MUST be a corresponding @div-representation in the StructMap-element	MUST

3.2.3 Representation METS requirements

Requirements pertaining to the representation package.

Table 4: Requirements for the representation information package

ID	Name, Location & Description	Card & Level
GEO_8	Type	1..1
Ref CSIP2	mets/@TYPE For representations that primarily contain geospatial data the value in Package mets/@TYPE MUST be "Geospatial Data" as taken from the CSIP Vocabulary for Content Category.	MUST
GEO_9	Content Information Type Specification	1..1
Ref CSIP4	mets/@csip:CONTENTINFORMATIONTYPE For representations that primarily contain geospatial data and that conforms to CITS Geodata, the value in Package mets/@csip:CONTENTINFORMATIONTYPE MUST be "GeoData" as taken from the CSIP Vocabulary for Detailed Content Type	MUST
GEO_10	METS Profile	1..1
Ref CSIP6 SIP2	mets/@PROFILE For information packages that primarily contain geospatial data the value in the @PROFILE MUST be "https://GEO.dilcis.eu/profile/CITS_Geospatial_representation.xml"	MUST

3.3 Data requirements (Geospatial data)

This chapter states the requirements for the content data object or objects that form the geospatial record contained in the Information package.

The sections 3.3 - 3.5 of this document do not discuss optimisations with respect to packaging and storage. The requirements for data, metadata and documentation only suggest what information is needed and the appropriate placement of it, not how it is packaged, stored and optimised for automatic handling.

3.3.1 Geodata general - requirements

The general requirements for the content data object or objects are stated in the following table.

Table 5: General requirements for the content data object

ID	Name, Location & Description	Card & Level
GEO_11	<p>Minimum one file in a geospatial format</p> <p>If the value in mets/@csip: CONTENTINFORMATIONTYPE is "GeoData", then there MUST exist at least one file in a geospatial format in representations/[RepresentationName]/data</p>	<p>0..n</p> <p>SHOULD</p>
GEO_12	<p>Subfolders in data representations/[RepresentationName]/data</p> <p>If there are more geospatial records in a representation, each geospatial file MAY be placed or grouped in subfolders in representations/[RepresentationName]/data</p>	<p>0..n</p> <p>MAY</p>
GEO_13	<p>Long term preservation format representation</p> <p>The Information Package MUST contain at least one representation of geospatial record in a long-term preservation format, as defined by the Archive or in the Long-term Preservation Format Profile (See chapter 3.3.5.)</p>	<p>1..n</p> <p>MUST</p>
GEO_14	<p>Original format representation</p> <p>The Information Package MAY contain a separate representation of the same data, containing geospatial data in its original format</p>	<p>0..1</p> <p>MAY</p>
GEO_15	<p>CRS definition</p> <p>Every geospatial dataset MUST be accompanied with information about its underlying Coordinate Reference System (CRS) in one of two ways:</p> <ul style="list-style-type: none"> • Full description of the CRS together with the archived data (within the geospatial file itself or in an accompanying file) • The geospatial file contains a reference to a CRS registry 	<p>1..1</p> <p>MUST</p>
GEO_16	<p>Geographic location validation</p> <p>The geographies in the geospatial records SHOULD be located within a fixed bounding box defined in the submission agreement between the producer and the archive according to the expected location and extent of the dataset</p>	<p>0..1</p> <p>SHOULD</p>
GEO_17	<p>Metadata</p> <p>Every geospatial dataset MUST be accompanied with a metadata file, that describes the dataset with the basic required information</p>	<p>1..n</p> <p>MUST</p>

3.3.2 Vector Geodata - requirements

Additional to the Geodata general requirements, the following requirements are intended for all vector geodata in the Information package:

Table 6: Requirements for vector geodata

ID	Name, Location & Description	Card & Level
GEO_18	Valid geospatial vector file Any geospatial vector datafile in representations/[RepresentationName]/data MUST be a valid vector file compliant with its respective format requirements (must pass the validation with the chosen validator for its format)	1..n MUST
GEO_19	Feature attribute Each Vector Feature dataset MUST contain at least one Feature attribute unique to each feature instance	1..n MUST
GEO_20	Long-Term preservation format Profile for Geospatial Vector data Geospatial vector data in a long-term preservation representation SHOULD comply with the requirements for the respective Long-Term preservation format Profile for Geospatial Vector data (see chapter 3.3.5)	0..n SHOULD

3.3.3 Raster Geodata - requirements

Additional to the Geodata general requirements, the following requirements are intended for all raster geospatial records in the Information package:

Table 7: Requirements for raster geospatial records

ID	Name, Location & Description	Card & Level
GEO_21	Valid raster file Any raster file in representations/[RepresentationName]/data MUST be a valid raster file compliant with its respective format requirements (must pass the validation with the chosen validator for its format).	1..n MUST
GEO_22	Long-Term preservation format Profile for Geospatial Raster data Raster data in the long-term preservation representation SHOULD comply with the requirements for the respective Long-Term preservation format Profile for Geospatial Raster data (see chapter 3.3.5.)	0..n SHOULD
GEO_23	Tiling index file	0..n

ID	Name, Location & Description	Card & Level
	If raster objects are organised using an external tiling index file, this tiling index MAY be placed in representations/[RepresentationName]/data	MAY

3.3.4 Non-spatial data - requirements

Geodata is often a part of a complex data structure, stored in a database and ordinary tables. To reproduce the information products from a GIS, it is often necessary to store additional tables with the geospatial records. These tables do not have a geospatial component. In this case, it is essential to store the data structure's relationships and logic to be reconstructed in the future. For long-term preservation of additional tabular information (attribute tables, code lists, etc.) along with geospatial records, formats proposed for RDBMS archiving are used. For example, the standard SIARD, available at <https://dilcis.eu/content-types/siard> and used in the Content information Type Specification for Relational Databases using SIARD (CITS SIARD), available at <https://dilcis.eu/content-types/cs-siard>.

3.3.5 Long Term Preservation Format Profiles

A "Long Term Preservation format Profile" contains a set of one or more base or subsets of base standards, and, where applicable, the identification of chosen clauses, classes, options, and parameters of those base standards, that are necessary for geospatial records to comply with the internal Archival Long Term Preservation guidelines for the selection of long-term preservation formats.

A "Long Term Preservation format Profile" would specify a proposed format for long term specification, its justification according to internal Archival guidelines (to ensure long-term preservation and reuse), a list of required auxiliary files and documentation and validation criteria to ensure structural and content suitability.

3.3.6 Other Geospatial data

This specification does not cover any specific requirements for basic or more complex geospatial records (such as networks, structures combining raster and vector data, point clouds, 3D features, oblique Imagery, Satellite Imagery, etc.). However, the specification will be extended with "Long Term Preservation format Profiles" for additional geospatial formats in the future.

3.4 Documentation requirements

Geospatial records are rarely in a form that is sufficiently self-explanatory to be used and interpreted adequately by itself. Consequently, additional information describing context, structure, rendering and behaviour is required to enable the user to understand, interpret and reuse preserved geodata properly. This chapter describes the requirements for Documentation for geospatial datasets (where it is applicable). Ideally, a standardised machine-readable format is preferred. However, any other form of documentation of the System is always welcome. Standardised machine-readable formats should be placed within the representation. Other documentation should be placed within the package level Documentation folder.

Table 8: Requirement for documentation

ID	Name, Location & Description	Card & Level
GEO_24	Package level documentation	0..n

ID	Name, Location & Description	Card & Level
	Documentation covering all representations in the Information package SHOULD be placed in /documentation on package level	SHOULD
GEO_25	Representation level documentation	0..n
	Technical documentation specific to one representation SHOULD be placed in representations/[RepresentationName]/documentation	SHOULD

3.4.1 Structure of geospatial records

Structure of geospatial records describe the extrinsic or intrinsic relationships between two or more type of content, as required to reconstruct the performance of one or more geospatial records within the information package.

Table 9: Requirements describing structure

ID	Name, Location & Description	Card & Level
GEO_26	Feature Catalogue documentation	1..n
	A document containing definitions and descriptions of feature types, its feature attributes and feature attributes related to all the geospatial records in the Information Package MUST be provided	MUST
GEO_27	Standardised machine-readable Feature Catalogue	0..n
ISO 19110 ISO 19115-3	A standardised machine-readable feature catalogue SHOULD be provided in the Information Package	SHOULD
GEO_27a	Placement of Standardised machine-readable Feature Catalogue	Conditional 1..n
Ref GEO_27	If a standardised machine-readable feature catalogue exists it MUST be placed in representations/[RepresentationName]/documentation/structure	MUST
GEO_28	Documentation containing Feature Catalogue descriptions	0..n
Ref GEO_27	Documentation, describing elements of a feature catalogue, not compliant with GEO_27 (a non-standardised machine-readable feature catalogue) SHOULD be provided in Documentation/structure folder on the package level	SHOULD
GEO_29	Logical model	0..n
	A document describing relationships between multiple geospatial entities or geospatial and non-spatial records SHOULD be provided in the Information Package	SHOULD

ID	Name, Location & Description	Card & Level
GEO_29a	Placement of logical model	Conditional 1..1
Ref GEO_29	If a document describing the logical model exists it MUST be provided in a documentation/structure folder	MUST
GEO_29b	Placement of machine-readable logical model	Conditional 1..1
Ref GEO_29	If a standardised machine-readable version of a document describing the logical model exists it MUST be provided in representations/[RepresentationName]/documentation/structure	MUST
GEO_30	GIS Project structure A document describing the structure of geospatial records in the GIS System MAY be provided in the Information Package. A standardised machine-readable version is preferred.	0..n MAY

3.4.2 Rendering and visualisation

Rendering and visualisation documentation represents any information that contributes to the recreation of the performance of the Information Object. Example: Colour map of pixel values in raster datasets, Symbology configuration for vector datasets, Map setup; Web service, etc.

To document visualisation, there is a need for GIS documentation and samples of geospatial information products (maps, lists, charts, new geodata derived from existing data, web services, etc.) required.

Table 10: Requirement for rendition and visualisation

ID	Name, Location & Description	Card & Level
GEO_31	Geospatial dataset visualisation An image displaying the overall view or a representative section of any geospatial dataset MUST be provided in the Information Package and placed in a documentation/rendering folder	1..n MUST
GEO_32	Visualisation documentation A document describing visualisation rules and configurations SHOULD be provided in the Information Package	0..n SHOULD
GEO_32a	Placement of visualisation documentation	Conditional 1..1
Ref GEO_32	If a document describing visualisation rules and configurations exists it MUST be provided in a documentation/rendering folder	MUST
GEO_33	Rendering configuration	0..n MAY

ID	Name, Location & Description	Card & Level
	A standardised machine-readable rendering configuration for one or more geospatial datasets MAY be provided in the Information Package	
GEO_33a	Placement of rendering configuration	Conditional 1..n
Ref GEO_33	If a standardised machine-readable rendering configuration for one or more geospatial datasets exists it MUST be provided in representations/[RepresentationName]/documentation/rendering	MUST
GEO_34	Information product examples	0..n
	Information product examples based on geospatial record or records example SHOULD be provided in the Information Package	SHOULD
GEO_34a	Placement of information product examples	Conditional 1..1
Ref GEO_34	If information product examples exist, they MUST be provided in the Information Package in a documentation/rendering folder	MUST

3.4.3 Behaviour - Software and algorithms

To facilitate the reproduction of information products in future GIS (for example: reconstruct common queries for a specific geospatial dataset), there is often a need to run specific database queries or geo-specific processes. However, some information can only be accessed using functionalities of the original System. Therefore, preserving user manuals and system documentation of original systems is also recommended to preserve the behaviour aspect.

Table 11: Requirements for behaviour

ID	Name, Location & Description	Card & Level
GEO_35	GIS system documentation	0..n
	Documentation regarding the original system, where geospatial records were used, SHOULD be provided in the Information Package in a documentation/behaviour folder	SHOULD
GEO_35a	Placement of GIS system documentation	Conditional 1..n
Ref GEO_35	If documentation regarding the original system exists it MUST be provided in a documentation/behaviour folder	MUST
GEO_36	Common queries, algorithms	0..n
	Documentation on the logic of common queries and algorithms used for analysis, transformation, creation, and maintenance of geospatial records SHOULD be provided in the Information Package	SHOULD

ID	Name, Location & Description	Card & Level
GEO_36a	Placement of common queries, algorithms	Conditional 1..n
Ref GEO_36	If documentation on the logic of common queries and algorithms exists it MUST be provided in a documentation/behaviour folder	MUST
GEO_37	Common queries, algorithms machine-readable	0..n
	Code of queries and algorithms used with the geospatial records in the Information Package MAY be provided in the Information Package	MAY
GEO_37a	Placement of machine-readable common queries, algorithms	Conditional 1..n
Ref GEO_37	If code of queries and algorithms used with the geospatial records exists it MUST be provided in a documentation/behaviour folder	MUST

3.4.4 Coordinate reference system information- requirements

Coordinate Reference System (CRS) definition is essential for effective reuse of all geospatial records. When the CRS of the geodata in the Information Package is described by only referencing a well-known external database of CRS definitions (such as the EPSG database), the availability of these definitions is dependent upon the long-term existence of that database. Therefore, a CITS Geospatial Information Package must contain these definitions to be self-descriptive.

Table 12: Requirements for the coordinate reference system information

ID	Name, Location & Description	Card & Level
GEO_38	Standardised machine-readable format CRS definition	0..n
Ref GEO_15	If the CRS definition in a geospatial file is documented only by a reference to a CRS registry a standardised machine-readable format CRS definition compliant with standards for CRS definition SHOULD be provided in the Information Package	SHOULD
GEO_38a	Placement of standardised machine-readable format CRS definition	Conditional 1..n
Ref GEO_38	If a standardised machine-readable format CRS definition exists it MUST be provided in a documentation/CRS folder	MUST
GEO_39	CRS transformation parameters	0..n
	For system using data in multiple CRS systems, standardised machine-readable transformation parameters between those CRS MAY be provided in the Information Package	MAY

ID	Name, Location & Description	Card & Level
GEO_39a	Placement of CRS transformation parameters	Conditional 1..n
Ref GEO_39	If standardised machine-readable transformation parameters exist, they MUST be provided in a documentation/CRS folder	MUST

3.4.5 Other - Contextual Documentation requirements

This part of the IP describes all remaining, more general information about the geospatial record. Included here are links to relevant Documentation describing data creation methodology and the spatial data set's provenance. The Documentation could consist of interviews, legal origin documentation, related practices in the EU and worldwide, methodological rules, scientific articles, related publications, etc.

Table 13: Requirements regarding other information

ID	Name, Location & Description	Card & Level
GEO_40	Package level contextual documentation	0..n
	Contextual documentation covering all representations in the Information package SHOULD be placed in documentation/other on package level	SHOULD
GEO_41	Representation level contextual documentation	0..n
	Contextual documentation covering only content within a particular representation SHOULD be placed in representations/[RepresentationName]/documentation/other	SHOULD

3.5 Geospatial Metadata requirements

Geospatial data in the IP is documented using a form of geospatial metadata, which contains common descriptions of the data as well as descriptions specific to the geospatial domain (accuracy, lineage, scale, measurement units, CRS info, etc.). In original systems geospatial metadata can be stored in different ways (databases, standardised xml files, common documentation, etc.).

Table 14: Requirements for the geospatial metadata

ID	Name, Location & Description	Card & Level
GEO_42	Standardised machine-readable geospatial metadata	0..n
Ref GEO_17	Descriptive geospatial metadata in the long-term preservation format representation of the Information Package SHOULD be provided in the form of standardized machine-readable format compliant with geospatial metadata standards	SHOULD

ID	Name, Location & Description	Card & Level
GEO_42a Ref GEO_42	Placement of standardised machine-readable geospatial metadata If a standardised descriptive geospatial metadata file exists it MUST be provided in representations/[RepresentationName]/metadata/descriptive	Conditional 1..1 MUST
GEO_42b Ref GEO_42 and GEOSTR1	XML schema definition for geospatial metadata If a standardised descriptive geospatial metadata file exists it MUST be accompanied by an XML schema definition placed in a sub-folder called /schemas within the Information Package root folder or the representation folder	Conditional 1..n MUST
GEO_43 Ref GEO_17	Non-standardised machine-readable Geospatial metadata Geospatial metadata in non-long-term preservation representations MAY be stored in its original form or as documentation. However, formats need to comply with the archival guidelines (stored in approved long-term preservation formats).	0..n MAY

DRAFT

4 Appendix 1

AUTHOR(S)	
Name(s)	Organisation(s)
Martin Dew-Hattens	Danish National Archives
Ann Kristin Egeland	Danish National Archives
Anders Bo Nielsen	Danish National Archives
Gregor Završnik	Geoarh

REVIEWER(S)	
Name(s)	Organisation(s)
Jaime Kaminski	Highbury R&D
Karin Bredenberg	Kommunalförbundet Sydarkivera

Project co-funded by the European Commission within the ICT Policy Support Programme		
Dissemination Level		
P	Public	X
C	Confidential, only for members of the Consortium and the Commission Services	

REVISION HISTORY AND STATEMENT OF ORIGINALITY

Submitted Revisions History

Revision No.	Date	Authors(s)	Organisation	Description
0.1	31 October 2018	Gregor Završnik	Geoarh	Draft outline based on SFSB SMURF document.
1.0	20.December 2018	Gregor Završnik,	Geoarh,	
2.0	31.May 2019	Gregor Završnik	Geoarh	Changes introduced based on received comments from the users
2.0.2	12.08.2020	Gregor Završnik	Geoarh	Changes introduced based on received comments from the users: -CRS Definition added to technical documentation if referenced externally. - GeolP schemas aligned with CSIP structure. -Additions to Glossary - Images changed to provide a better understanding.
2.0.4.	30.9.2020	Gregor Završnik	Geoarh	Changes introduced based on received comments from the users: - GeolP schemas aligned with CSIP structure. - Added examples for technical documentation elements.
3.0.0	11.6.2021	Gregor Završnik Ann Kristin Egeland, Anders Bo Nielsen, Martin Dew-Hattens	Geoarh DNA	Update and rework of specification to draft for public review of version 3.0.

Statement of originality:

This deliverable contains original unpublished work except where clearly indicated otherwise. Acknowledgement of previously published material and of the work of others has been made through appropriate citation, quotation or both.